Equipment	Starting Factor	Running Wattage (avg.)	
Water Heater (50 gallon)	1	4500-5000	
Portable Heater with fan	2	500-1500	
Furnace Fan (Central) - 1/4 HP	3	400	
1/3 HP	3	450	
1/2 HP	3	600	
Computer	1	200	
Fax Machine	1	50-1000	
Space Heater	1	500-1500	
Refrigerator/Freezer	3	750	
Home Security System	1	200	
Lights	1	40-150	
Range w/Oven	1	12200	
- Small Burner	1	1300	
- Large Burner	1	2400	
Garage Door Opener - 1/3 HP	3	750	
- 1/2 HP	3	1050	
Well Pump - 1/3 HP	3	750	
1/2 HP	3	1000	
3/4 HP	3	1500	
Submersible Sump Pump - 1/2 HP	3	1000	
Electric Heat Pump	3	6000	
Central A/C 3 ton	3	6000	
Dishwasher w/o hot water	2	1200	
Television	1	150-400	
Radio	1	70-200	
Microwave	1	600-1500	
Coffee maker	1	750-1200	
Toaster	1	1100	
Hair Dryer	2	600-1400	
Washing Machine w/o Hot Water	2	1000	
Clothes Dryer	2	4850	
Air Cleaner	2	50	
Dehumidifier	2	840	
Humidifier	1	177	
Vacuum Cleaner	1	800	

## Notes to Appliance Usage Guide

The wattages on the Appliance Energy Guide are estimates. The estimated wattage required for your appliances can be easily calculated. (NOTE:  $1\ kW=1000\ watts$ ;  $2\ kW=2000\ watts\ and\ so\ on.$ ) The formula for finding wattage is: Volts x Amps = Watts (running). Always use starting factor when calculating electrical load requirements for your generator. Select the appliances you want to operate and add the starting wattages together to determine if they can all be operated at the same time without exceeding the capacity of your generator. NOTE:  $individual\ circuit\ breakers$  on your breaker panel may control more than one appliance. Always determine which appliances/loads are connected to specific breakers.

## ? CAUTION

Do not turn on your home's heat pump or central air conditioning while using GenerLink. The starting wattage for these devices exceeds GenerLink's 30-amp or 40 amp capacity.

## Worksheet Instructions

Write down the maximum and continuous wattage output ratings for your generator in the boxes marked A.

From the Appliance Energy Guide, select the appliances that you wish to operate and write them in column B. For each selected appliance, write its corresponding starting factor and run watts in columns C and D respectively.

For each appliance that you have selected, multiply the starting factor by the run watts and write the results or the load watts in column E. NOTE: Only items that start simultaneously should be tallied in column D.

Finally, sum up all of the load wattages for each appliance and lights in column E. Add each appliances load watts and write the number in box G. The number in box G represents the total amount of load you plan to run on your portable generator. Be sure that the total in box G does not exceed the generator size in b o x A.

Always select a generator that is as large as or larger than the estimates for both running and starting wattages.

VISIT OUR INTERACTIVE WORK SHEET AT www.generlink.com

## SAMPLE WORKSHEET

Generator Size: (Watts) 7200

В	C		D		$\mathbf{E}$	
Load	Start	X	Run Watts	=	Load	_
	Factor				Watts	_
Refrigerator	3	X	1000	_=	3000	
Sump Pump	2	X		=		
			1000		2000	
Computer	1	X		=		
			200	_	200	
Fan (central) ¼ hp	3	X		=		
			400		1200	
		X		=		
				_		
		X		=		
				_		
			F	_		
Lights	Wattage		Number			
				╛.		
				]=	300	
		37	_			

150

X

Total:

6800 **G** 

100

<b>WORKSHEET A</b>				
Generator Size:				
(Watts)				
B	C		D	E
Load	Start	X	Run Watts	= Load
	Factor			Watts
	- I			
		X		=
		X		=
	1	X		
		Λ		
		X		=
		X		=
	1	X		
L	J	21	L	
			F	_
Lights	Wattage		Number	
	60	X		=
	100	X		=
	150	X		=

Total:

G